



29.08  
DATE: February 13, 2019  
QUOTE #:234137-01

TITUS COUNTY PCT 3  
COMMISSIONER DANA APPLEWHITE  
100 W 1ST ST STE 202  
MOUNT PLEASANT, TEXAS 75455-4443

One (1) New Caterpillar Inc Model: 420F2 with all standard equipment in addition to the additional specifications listed below:

DESCRIPTION	REF.#
420F2 BACKHOE LOADER DCA2	558-4672
450-8448 420F2 BHL ST, TIER 4, HRC	450-8448
337-9696 COUNTERWEIGHT, 1015 LBS	337-9696
450-8757 ENGINE, 74.5KW,C4.4 ACERT, T4F	450-8757
450-8730 STICK, EXTENDABLE, 14FT	450-8730
398-2681 RIDE CONTROL	398-2681
450-8683 CAB, DELUXE	450-8683
450-8715 AIR CONDITIONER, T4	450-8715
433-4806 SEAT, DELUXE FABRIC	433-4806
450-8530 HYDRAULICS, MP, 6FCN/8BNK, ST	450-8530
547-6095 PT, 4WD, POWERSHIFT	547-6095
398-2882 COLD WEATHER PACKAGE, 120V HRC	398-2882
447-0049 PRODUCT LINK, CELLULAR, PL641	447-0049
BUCKET-MP, 1.3 CYD	337-7436
CUTTING EDGE, TWO PIECE	9R-5321
TIRES, 340 80-18/500 70-24, MX	533-0488
WORKLIGHTS (8) HALOGEN LAMPS	491-6734
INSTRUCTIONS, ANSI	430-9944
BELT, SEAT, 2" SUSPENSION	206-1747
STABILIZER PADS, FLIP-OVER	9R-6007
BUCKET-HD, 24", 6.2 CFT	219-3387

TOTAL PRICE	\$94,500.00
SUB TOTAL	\$94,500.00
TOTAL QUOTED PRICE	\$94,500.00

**WARRANTY**

**Standard Warranty: 12 Month/Unlimited Hours Total Machine**

**Extended Warranty: 60 MONTH/3500 HOUR POWERTRAIN + HYDRAULICS + TECH**

**Thanks,**

**Derek Cooper**

**HoltCat**

**903-316-7775**

**Sulphur Springs, TX**

STANDARD EQUIPMENT

---

CONSIST NOTE

THIS LISTING IS A GENERAL DESCRIPTION  
OF A 420F2 BACKHOE LOADER EQUIPPED WITH

THE LOWEST CHARGE ITEMS.

BOOMS, STICKS AND LINKAGES

14'4" Center pivot excavator style  
backhoe  
Pilot operated joystick hydraulic  
controls with pattern changer valve  
Pilot operated stabilizer controls

Boom transport lock  
Swing transport lock  
Street pads stabilizer shoes  
Anti-drift hydraulics

POWERTRAIN

Drive-line parking brake  
High Ambient Cooling Package  
Torque converter  
Transmission--four speed synchro mesh  
with power shuttle & neutral safety

switch  
Spin-on fuel, engine oil & transmission  
oil filters  
Outboard planetary rear axles  
Open Circuit Breather

HYDRAULICS

Load sensing, variable flow system  
with 43 gpm axial piston pump  
6 micron hydraulic filter  
O-ring face seal hydraulic fittings  
Caterpillar XT-3 hose

Hydraulic oil cooler  
Pilot control shutoff switch  
PPPC, Flow-sharing hydraulic valves  
Hydraulic suction strainer

ELECTRICAL

12 volt electrical start  
150 ampere alternator  
Horn and Backup Alarm  
Hazard flashers/turn signals  
Halogen head lights (4)  
Halogen rear flood lights (4)  
Stop and tail lights

Audible system fault alarm  
Key start/stop system  
880 CCA maintenance free battery  
Battery disconnect switch  
External/internal power receptacles(12v)  
Diagnostic ports for engine and machine  
Electronic Control Modules

POWERTRAIN

Differential lock  
disk brake with dual pedals & interlock  
Hydraulically boosted multi-plate wet  
indicator  
ejection system & filter condition  
integral precleaner, automatic dust  
A dry-type axial seal air cleaner with  
Eco mode

Thermal starting aid system  
Water separator with service indicator  
with Selective Catalytic Reduction(SCR)  
US EPA Tier4 Final Emissions Compliant  
with ACERT technology.  
Direct Injection Turbo Charged Engine,  
Cat C4.4, 74.5KW (Net 93HP / 69kW)

**BOOMS, STICKS AND LINKAGES**

- |   |  |
|---|--|
| Single Tilt Loader                      | Lift cylinder brace                                    |
| Transmission neutralizer switch control | Bucket level indicator                                 |
| Self-leveling loader with single lever  | Cat Cushion Swing(tm) system (Boom, Stick and E-Stick) |
| Return-to-dig (auto bucket positioner)  |  |

**ELECTRICAL**

- Remote jump start connector

**OPERATOR ENVIRONMENT**

- |                              |                                |
|------------------------------|--------------------------------|
| Lighted gauge group          | Hand and foot throttle         |
| Interior rearview mirror     | Automatic Engine Speed Control |
| Rear fenders                 | One Touch Low Idle             |
| ROPS canopy                  | Floor mat and Coat Strap       |
| 2-inch retractable seat belt | Lockable storage area          |
| Tilt steering column         | Air suspension seat            |
| Steering knob                |                                |

**OTHER STANDARD EQUIPMENT**

- |   |                                   |
|---|-----------------------------------|
| Hydrostatic power steering  | Bumper                            |
| Standard Storage Box  | CD-ROM Parts Manual               |
| Transport tie-downs   | Backhoe Safety Manual             |
| Ground line fill fuel tank with 44 gallon capacity                | Operations and Maintenance Manual |
| Ground line fill diesel exhaust fluid tank with 5 gallon capacity | Lockable hood                     |
| Rubber impact strips on radiator guards                           | Tire Valve Stem Protection        |
|   | Long Life Coolant -30C (-20F)     |
|   | Padlocks (2 on ST, 3 on IT)       |